EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L37	27	position adj cod$4 with match$4 and compression	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:05
L36	1074	position adj cod$4 and compression	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:04
L35	5	volpert-t$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:03
L34	0	digibyte.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:48
L33	0	upon$1us.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:48
L32	0	uponus.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:47
L31	0	digibyte.as.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:47
L30	0	digibyte.as.	USPAT	OR	OFF	2007/09/27 11:47
L29	0	"digibyte.asa"	USPAT	OR	OFF	2007/09/27 11:47
L28	0	upon$1us.as.	USPAT	OR	OFF	2007/09/27 11:47
L27	0	uponus.as.	USPAT	OR	OFF	2007/09/27 11:47
L26	0	(mark$4) with (location$ or position$1) with string with every and (compress$4 or encod$4 or encrypt$4) and @ad<"20010626"	USPAT	OR	OFF	2007/09/27 11:47
L25	0	(mark$4) with (location$ or position$1) with string with each and (compress$4 or encod$4 or encrypt$4) and @ad<"20010626"	USPAT	OR	OFF	2007/09/27 11:44
L24	7	(mark$4) with (location$ or position$1) with string same remaining and (compress$4 or encod$4 or encrypt$4) and @ad<"20010626"	USPAT	OR	OFF	2007/09/27 11:44

L23	170	(mark$4) with (location$ or position$1) with string and (compress$4 or encod$4 or encrypt$4) and @ad<"20010626"	USPAT	OR	OFF	2007/09/27 11:43
L22	222	(mark$4) with (location$ or position$1) with string and (compress$4 or encod$4 or encrypt$4)	USPAT	OR	OFF	2007/09/27 11:43
L21	99	(determin$4 or locat$4 or find$4 or mark$4) with ((group$4 or combination$1) near (n$1bit$1 or bit$1)) with input and (compress$4 or encod$4 or encrypt$4)	USPAT	OR	OFF	2007/09/27 11:42
L20	1165	(determin$4 or locat$4 or find$4 or mark$4) with ((group$4 or combination$1) near (n$1bit$1 or bit$1)) and (compress$4 or encod$4 or encrypt$4)	USPAT	OR	OFF	2007/09/27 11:11
L19	182	(determin$4 or locat$4 or find$4 or mark$4) with ((group$4 or combination$1) near (n$1bit$1 or bit$1)) with input	USPAT	OR	OFF	2007/09/27 11:10
L18	2009	(determin$4 or locat$4 or find$4 or mark$4) with ((group$4 or combination$1) near (n$1bit$1 or bit$1))	USPAT	OR	OFF	2007/09/27 11:10
L17	5	(mark$4 with location$1 near byte$1 with bit) and (compress$4 or encrypt$4 or encod$4)	USPAT	OR	OFF	2007/09/27 11:06
L16	40	(indicat$4 with location$1 near byte$1 with bit) and (compress$4 or encrypt$4 or encod$4)	USPAT	OR	OFF	2007/09/27 11:01
L15	71	(indicat$4 with location$1 near byte$1 with bit)	USPAT	OR	OFF	2007/09/27 10:36
L14	419	(indicat$4 with location$1 with bit with byte$1)	USPAT	OR	OFF	2007/09/27 10:36
L13	36	(mark$4 with location$1 with bit with byte$1)	USPAT	OR	OFF	2007/09/27 10:35
L12	2	(mark$4 with location$1 with ((bit$1 near configuration$1)))	USPAT	OR	OFF	2007/09/27 10:27
L11	10	(indicat$4 with location$1 with ((bit$1 near configuration$1)))	USPAT	OR	OFF	2007/09/27 10:24
L10	17	(indicat$4 with position$1 with ((bit$1 near configuration$1)))	USPAT	OR	OFF	2007/09/27 10:23
L9	3	(mark$3 with position$1 with ((bit$1 near configuration$1)))	USPAT	OR	OFF	2007/09/27 10:21

updated

L8	17	("3656178").URPN.	USPAT	OR	OFF	2007/09/27 10:19
L6	24	(341/55.ccls. or 341/60.ccls. or 341/65.ccls.) and (order$1 with (search$3 or quer$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:56
L5	49	707/101.ccls. and order with (search$4 or quer$4) with (bits or string$1 or byte$1) and (index or book) and (position$1 or locat$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:54
L4	318	382/237.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:54
L3	548	380/37.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:42
L1	182	380/217.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/27 09:12

MTH